
Base Cabinets



Dimensions

Width	Height	Depth
6" to 48"	34½"	24"
		(Reduced Depth optional
		on select cabinets)


SKU Coding

В	30	BUTT
Cabinet Type	Width in Inches	Cabinet Type
(e.g., B=Base)		

Construction Options & Modifications

APC	. All Plywood Construction
CFO	Cabinet Front Only
FE	Furniture Ends
IF	Inverted Frame
PE	Plywood Ends
RD	Reduced Depth
RTK	Recessed Toe Kick
VTD	Void Top Drawer

Standard Base Cabinets



Standard Base cabinets are 341/2" high by 24" deep and range from 12" to 48" wide.

Single door Standard Base cabinets are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.

Base Cabinet 1 Door, 1 Drawer




	APC
B12	CF0
B15	FE
B18	IF
B21	PE
B24	RD
B24	RTK

• Full-depth adjustable shelf

Base Cabinet

2 Butt Doors, 1 Drawer




DO A DUITT	APC
B24 BUTT	CF0
B27 BUTT	FE
B30 BUTT	IF
B33 BUTT	PE
B36 1TD BUTT	RD
030 110 0011	RTK

- Full-depth adjustable shelf
- Center support for shelf provided for cabinets 27" or

Base Cabinet

2 Doors, 2 Drawers




D00	APC
B36	CF0
B39	FE
B42	IF
B48	PE
D-10	RD
	RTK

- Full-depth adjustable shelf
- Center support for shelf provided

Base Cabinet


3 Doors, 3 Drawers



D.4.5	APC
B45	CF0
	FE
	IF
	PE
	RD
	RTK

- Full-depth adjustable shelf
- Center support for shelf provided
- Hinged as shown center door can be reversed in the
- Shelf must be installed through top of cabinet and cannot be removed through door opening

Base Cabinets with Accessories




Base cabinets with accessories are 34½" high by 24" deep and range from 12" to 48" wide.

Single door Base cabinets with accessories are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.

Base Cabinet

1 Door, 1 Drawer 1 Deep Roll Out Tray



D10 FINT	APC
B12 FWT	FE
B15 FWT	PE
B18 FWT	RD
B21 FWT	RTK
	VTD
B24 FWT	

- Deep Roll Out Tray (DROT) on floor
- Full-depth adjustable shelf in center position
- Deep Roll Out Tray is not adjustable

Base Cabinet

2 Butt Doors, 1 Drawer 1 Deep Roll Out Tray




	APC
B24 FWT BUTT	FE
B27 FWT BUTT	PE
B30 FWT BUTT	RD
B33 FWT BUTT	RTK
B36 1TD FWT BUTT	VTD
200 112 1 111 2011	

- Deep Roll Out Tray (DROT) on floor
- Full-depth adjustable shelf in center position
- Center support for shelf provided for cabinets 27" or wider
- Deep Roll Out Tray is not adjustable

Base Cabinet

2 Doors, 2 Drawers 2 Deep Roll Out Trays




D00.0T	APC
B36 2T	FE
B39 2T	PE
B42 2T	RD
B48 2T	RTK
D-10 Z1	VTD

- Deep Roll Out Tray (DROT) on floor in each door opening
- Full-depth adjustable shelf in center position
- Center support for shelf provided
- Deep Roll Out Trays are not adjustable


Base Cabinet

3 Doors, 3 Drawers



	APC
B45 3T	FE
	PE
	RD
	RTK
	VTD

- Deep Roll Out Tray (DROT) on floor in each door opening
- Full-depth adjustable shelf in center position
- Center support for shelf provided
- Deep Roll Out Trays are not adjustable
- Hinged as shown center door can be reversed in the field
- Shelf must be installed through top of cabinet and cannot be removed through door opening






- Two Deep Roll Out Trays (DROT)
- Deep Roll Out Trays are not adjustable


Base Cabinet

2 Butt Doors, 1 Drawer 2 Deep Roll Out Trays



DO A OFINIT DUTT	APC
B24 2FWT BUTT	FE
B27 2FWT BUTT	PE
B30 2FWT BUTT	RD
B33 2FWT BUTT	RTK
B36 1TD 2FWT BUTT	VTD
DOU IID ZEWI DOIT	

- Two Deep Roll Out Trays (DROT)
- Deep Roll Out Trays are not adjustable




	APC
B36 4T	FE
B39 4T	PE
B42 4T	RD
B48 4T	RTK
וד טדט	VTD

- Two Deep Roll Out Trays (DROT) in each door opening
- Deep Roll Out Trays are not adjustable

Base Cabinet

3 Doors, 3 Drawers 6 Deep Roll Out Trays




	APC
B45 6T	FE
	PE
	RD
	RTK
	VTD

- Two Deep Roll Out Trays (DROT) in each door opening
- Deep Roll Out Trays are not adjustable

Base Pot & Pan Organizer Cabinet

1 Door, 1 Drawer




	APC
B24 BPP0	FE
	IF
	PE
	RTK
	VTD

- Organizer in natural finish solid wood and wood veneer with engineered wood bottom
- Front of organizer features dovetail construction
- Middle shelf measures 9 3/4" deep


Base Pot & Pan Organizer Cabinet

2 Butt Doors, 1 Drawer



	APC
B24 BUTT BPPO	FE
B27 BUTT BPPO	IF
B30 BUTT BPP0	PE
B33 BUTT BPPO	RTK
B36 1TD BUTT BPP0	VTD
סטט ווט סטוו סדרט	

- · Organizer in natural finish solid wood and wood veneer with engineered wood bottom
- Front of organizer features dovetail construction
- Top shelf measures 6 3/16" deep
- Middle shelf measures 9 3/4" deep






- Roll Out Tray Divider in natural finish solid wood and wood veneer construction
- No shelf
- B12 ROTD features two compartments (one partition)
- B15 ROTD features three compartments (two partitions)
- Partition(s) are field installed

Base Cabinet

1 Door, 1 Drawer With Cutting Board Door Rack Kit




Dia anno	APC
B18 CBDR	FE
	PE
	RTK
	l

- Cutting Board Door Rack Kit packaged separately for field installation
- Kit in natural finish solid wood features chrome rails
- Full-depth adjustable shelf must be field trimmed to half-depth
- Cannot be used with Deep Roll Out Trays
- Solid wood cutting board is NOT dishwasher safe
- Cutting board measures 15 15/16" x 10 1/16" x 13/16"

Base Cabinet

1 Door, 1 Drawer With Plastic Bag Door Storage Kit




	APC
B15 PBDSU	FE
B18 PBDSU	PE
	RTK

- Plastic Bag Door Storage Unit packaged separately for field installation
- · Unit in natural finish solid wood and wood veneer
- Full-depth adjustable shelf must be field trimmed to half-depth
- Cannot be used with Deep Roll Out Trays
- Removable white plastic tray is NOT dishwasher safe

Base Cabinet

1 Door, 1 Drawer




	APC
BWBB15	FE
	IF
	PE
	RTK

- Features one silver plastic 35-quart capacity bin
- Wastebasket rests in a natural finish wood frame
- Features heavy-duty 132-pound rated glides
- Decorative hardware strongly recommended

Base Cabinet 1 Door, 1 Drawer


2 Bottom Mount Wastebaskets



	APC
BWBB15-2	FE
BWBB18-2	IF
BWBB21-2	PE
	RTK

- Features two silver plastic bins:
 - BWBB15-2 is 27-quart capacity
- BWBB18-2 and BWBB21-2 are 35-quart capacity
- Wastebaskets rest in a natural finish wood frame
- Features heavy-duty 132-pound rated glides
- Decorative hardware strongly recommended

Full-Height Base Cabinets




Full-Height Base Cabinets are 34½" high by 24" deep and range from 9" to 36" wide.

Single door Full-Height Base cabinets are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.

Full-Height Base Cabinet


1 Door, No Shelf



	APC
TB9	CF0
	FE
	PE
	RD
	RTK

- No shelf
- Full-height door
- For vertical tray storage
- Order S924 adjustable shelf separately
- Not available with Recessed Toe Kick Both (RTKB) Option

Full-Height Base Cabinet 1 Door, 1 Adjustable Shelf




	APC
B12 FH	CF0
B15 FH	FE
B18 FH	PE
B21 FH	RD
B24 FH	RTK
D24 FR	


- Full-depth adjustable shelf
- Full-height door

Full-Height Base Cabinet 2 Butt Doors, 1 Adjustable Shelf

- wider
- Full-height doors



Full-Height Base Cabinets with Accessories




Full-Height Base cabinets with accessories are 341/2" high by 24" deep and range from 9" to 30" wide.

Single door Full-Height Base cabinets are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.

Full-Height Base Cabinet


1 Door with **Tray Divider and Shelf**



	APC
TB9 TDS	FE
	PE
	RD
	RTK

- · Full-height door
- · Full-depth adjustable shelf
- TD3 Cabinet Tray Divider packaged separately for field
- Only available with RD-23 through RD-14
- Not available with Recessed Toe Kick Both (RTKB) Option


Base Tray Divider Pull Out





- · Full-height door
- One fixed bottom shelf in natural finish with an adjustable chrome tray divider
- One adjustable chrome T-Bar included for storage customization
- Decorative hardware strongly recommended
- Not available with Recessed Toe Kick Both (RTKB) Option


Base Pantry Pull Out



BPP9 BPP12

- · Full-height door
- One fixed bottom and three adjustable shelves in natural finish with chrome rails
- Decorative hardware strongly recommended
- BPP9 not available with Recessed Toe Kick Both (RTKB) Option

Base Pantry Pull Out Utensil Storage



APC BPPUS9 FF BPPUS12 PE

- · Full-height door
- One fixed bottom and one adjustable lower shelf in natural finish with chrome rails
- One fixed upper shelf in natural finish with chrome rails and three stainless steel removable storage bins
- Stainless steel bins measure 5 1/4" wide by 6 1/8" deep
- · Decorative hardware strongly recommended
- . BPPUS9 not available with Recessed Toe Kick Both (RTKB) Option

114 BASE CABINETS: Full-Height with Accessories

FF

PF

RD

RTK






B12 FH 2FWT B15 FH 2FWT B18 FH 2FWT **B21 FH 2FWT B24 FH 2FWT**

- · Full-height door
- Two Deep Roll Out Trays (DROT)

Full-Height Base Cabinet 2 Butt Doors, 2 Deep Roll Out Trays



B24 BUTT FH 2FWT **B27 BUTT FH 2FWT** B30 BUTT FH 2FWT **B33 BUTT FH 2FWT B36 BUTT FH 2FWT**


PF RD RTK

FF

- · Full-height doors
- Two Deep Roll Out Trays (DROT)

Full-Height Base Cabinet


1 Door, 4 Deep Roll Out Trays



B12 FH 4FWT B15 FH 4FWT B18 FH 4FWT **B21 FH 4FWT B24 FH 4FWT** FF PF RD RTK

- · Full-height door
- Four Deep Roll Out Trays (DROT)

Full-Height Base Cabinet 2 Butt Doors, 4 Deep Roll Out Trays




B24 BUTT FH 4FWT **B27 BUTT FH 4FWT** B30 BUTT FH 4FWT **B33 BUTT FH 4FWT B36 BUTT FH 4FWT**

- · Full-height doors
- Four Deep Roll Out Trays (DROT)

Full-Height Base Cabinet

1 Bottom Mount Wastebasket




	APC
BWBB15 FH	FE
BWBB18 FH	PE
	RTK

- · Full-height door
- Features one silver plastic 50-quart capacity bin
- Wastebasket rests in a natural finish wood frame
- Features heavy-duty 132-pound rated glides
- · Decorative hardware strongly recommended

Full-Height Base Cabinet

2 Bottom Mount Wastebaskets




BWBB21-2 FH PE RTK

- · Full-height door
- Features two silver plastic 50-quart capacity bins
- Wastebaskets rest in a natural finish wood frame
- Features heavy-duty 132-pound rated glides
- Decorative hardware strongly recommended

RD

RTK


Sink/Cooktop Base Cabinets



Sink/Cooktop Base cabinets are $34\!\%''$ high x 24'' deep and range from 18" to 48'' wide.

Single door Sink/Cooktop Base cabinets are hinged left and can be reversed in the field.


Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.



When placing a Sink/Cooktop Base cabinet in a design, it is recommended to select a cabinet at least 3" wider than the sink or cooktop to allow for installation clips. Review manufacturer's specifications for dimensions and adequate clearance requirements.

If a Corner Sink Base cabinet or front is selected, remember to place the dishwasher a minimum of 15" from the cabinet to allow for adequate standing space and proper appliance door operation.


Sink/Cooktop Base 1 Door, 1 Panel



	APC
SB18	FE
SB21	PE
SB24	RD
552.	RTK

- No shelf
- · Full-height back
- Subtract 1½" from width and depth for maximum available opening - removal of corner blocks may be required
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials


Sink/Cooktop Base 2 Butt Doors, 1 Panel



ODO A DUITT	APC
SB24 BUTT	FE
SB27 BUTT	PE
SB30 BUTT	RD
SB33 BUTT	RTK
SB36 BUTT	

- · No shelf
- · Full-height back
- Subtract 1½" from width and depth for maximum available opening - removal of corner blocks may be required
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials


Sink/Cooktop Base 2 Doors, 2 Panels



0000	APC
SB39	FE
SB42	PE
SB48	RD
	RTK

- No shelf
- · Full-height back
- Subtract 1½" from width and depth for maximum available opening - removal of corner blocks may be required
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials


Sink/Cooktop Base 3 Doors, 3 Panels



00.45	APC
SB45	FE
	PE
	RD
	RTK

- No shelf
- Full-height back
- Subtract 1½" from width and depth for maximum available opening removal of corner blocks may be required
- · Hinged as shown can be reversed in the field
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials

Deep Sink/Range Base Cabinet 2 Butt Doors



	А	А		U	U
Cut Out	Min.	Max.	В	Max. FOL	Max. SOL
DSB30 BUTT	23¾"	28"	21/8"	10"	10 ½"
DSB33 BUTT	26 3/4"	31"	21/8"	10"	10 ½"
DSB36 BUTT	29 3/4"	34"	21/8"	10"	10 ½"

	APC
DSB30 BUTT	FE
DSB33 BUTT	PE
DSB36 BUTT	RD
20200 2011	RTK

- · Accommodates farm sinks
- Apron stiles are 31/8" wide and trimmable
- A cutout exists in the door area where the 31/8" stiles are routed to 15/8"
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials


Deep Sink/Range Base Cabinet 2 Doors 341/2

			IV .			
	Α	Α	•	С	С	
Cut Out	Min.	Max.	В	Max. FOL	Max. SOL	
DSB39	32¾"	37"	21/8"	10"	10 ½"	



- · Accommodates farm sinks
- Apron stiles are 31/8" wide and trimmable
- A cutout exists in the door area where the 31/8" stiles are routed to 11/8"
- Refer to sink or appliance manufacturer's specifications for adequate clearance and required installation materials

Corner Sink Base






- No shelf
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on either side of this cabinet for proper appliance door operation
- Cabinet features solid top which must be field cut for sink installation as per manufacturer's specifications
- Maximum sink cut-out width is 22¾" if cut-out is 4" back from face of front frame
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials

Sink/Cooktop Front


1 Door, 1 Panel



SF12 SF15 SF18 SF21 SF24

- Sink/Cooktop Front not trimmable
- Order floors and returns separately (trimming may be required) - refer to Panel Section for availability


Sink/Cooktop Front 2 Butt Doors, 1 Panel



SF24 BUTT SF27 BUTT SF30 BUTT SF33 BUTT SF36 BUTT

- Sink/Cooktop Front not trimmable
- Order floors and returns separately (trimming may be required) - refer to Panel Section for availability


Sink/Cooktop Front 2 Doors, 2 Panels



SF39 SF42 SF48

- Sink/Cooktop Front not trimmable
- Order floors and returns separately (trimming may be required) - refer to Panel Section for availability

Sink/Cooktop Front 3 Doors, 3 Panels




SF45

- Sink/Cooktop Front not trimmable
- Hinged as shown can be reversed in the field
- Order floors and returns separately (trimming may be required) - refer to Panel Section for availability

Corner Sink Front








	A	В	
CSF36	35 31/32"	16 ¹5⁄16″	
CSF42	42 11/32"	25 15/16"	

- Corner Sink Front not trimmable
- Vertical edges of frame are mitered to attach to adjacent cabinet frames
- Toe kick shipped loose
- Order floors and returns separately (trimming may be required) refer to Panel Section for availability

Sink Base Cabinets with Factory Installed **Accessories**





Sink Base cabinets with Factory Installed **Accessories feature Tilt-Out Trays with** Hidden Hinges.


Sink Base cabinets with Factory Installed Accessories are 341/2" high by 24" deep and range from 18" to 48" wide.

Single door Sink Base cabinets with Factory Installed Accessories are hinged left and can be reversed in the field.

Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.



Sink Base 1 Door, 1 Panel with **Factory Installed Tilt-Out Tray**



0	DI .:	APC
Stainless	Plastic	FE
SB18 STO	SB18 TO	PE
SB21 STO	SB21 TO	RD
SB24 STO	SB24 TO	RTK
0021010	002110	

- · No shelf
- Full-height back
- Subtract 1½" from width and 3¾" from depth for available sink bowl opening - removal of corner blocks may be required
- Tilt-Out Trays are NOT dishwasher safe
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials

Sink Base 2 Butt Doors, 1 Panel with **Factory Installed Tilt-Out Tray**




01 1	DI II	APC
Stainless	Plastic	FE
SB24 BUTT STO	SB24 BUTT TO	PE
SB27 BUTT STO	SB27 BUTT TO	RD
SB30 BUTT STO	SB30 BUTT TO	RTK
SB33 BUTT STO	SB33 BUTT TO	
SB36 BUTT STO	SB36 BUTT TO	

- UPDATE: 33" and 36" sink bases now features one
- No shelf
- · Full-height back
- Subtract 1½" from width and 3¾" from depth for available sink bowl opening - removal of corner blocks may be required
- Tilt-Out Trays are NOT dishwasher safe
- · Refer to sink manufacturer's specifications for adequate clearance and required installation materials


Sink Base

2 Doors, 2 Panels with **Factory Installed Tilt-Out Trays**



		APC
Stainless	Plastic	FE
SB39 ST0	SB39 TO	PE
SB42 STO	SB42 TO	RD
SB48 STO	SB48 TO	RTK
010 0FU	טו טדעט וט	


- No shelf
- · Full-height back
- Subtract 1½" from width and 3¾" from depth for available sink bowl opening - removal of corner blocks may be required
- Tilt-Out Travs are NOT dishwasher safe
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials



- UPDATE: SBMB36 BUTT STO now features one 22" tray
- Full-height back
- Features factory-installed Sink Base Door Storage Unit (SBDSU___) on left door, Plastic Bag Door Storage Unit (PBDSU___) on right door and one Stainless Tilt-Out Tray (STO TRAY 22)
- Sink Base Multi-Storage Shelf (SBMSS) shipped separately for field installation left or right
- Sink Base Multi-Storage Shelf measures 8 \%" wide x 8" high x 17 \%" deep
- Subtract 1½" from width and 3¾" from depth for available sink bowl opening removal of corner blocks may be required
- Tilt-Out Tray and Door Storage Unit Trays are NOT dishwasher safe
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials

120 BASE CABINETS: With Factory Installed Drawer Accessory

Base Cabinets with Factory Installed Drawer Accessory



Ordering Base Cabinets with Factory Installed Drawer Accessory:

- Select a Base cabinet configuration Example: B15 2FWT (Base cabinet with Two Deep Roll Out Trays)
- 2. Choose a Factory Installed Base drawer accessory from the list on the following


Example: Wood Tiered Cutlery Divider (WTCD)

3. Replace the asterisk (*) with the code for the Factory Installed Base drawer accessory to order as a Factory **Installed Accessory Example: B15 2FWT WTCD**

Base Cabinet

Factory Installed Drawer Accessory


DIE +	APC
B15 <u>*</u>	FE
B18 <u>*</u>	PE
B21 <u>*</u>	RTK
B24 <u>*</u>	
B24 BUTT <u>*</u>	



Base Cabinet

With 1 Deep Roll Out Tray and **Factory Installed Drawer Accessory**


DAS SINT #	APC
B15 FWT <u>*</u>	FE
B18 FWT <u>*</u>	PE
B21 FWT <u>*</u>	RTK
B24 FWT <u>*</u>	
B24 FWT BUTT <u>*</u>	
	I



Base Cabinet

With 2 Deep Roll Out Trays and **Factory Installed Drawer Accessory**


DIF OFWE *	APC
B15 2FWT <u>*</u>	FE
B18 2FWT <u>*</u>	PE
B21 2FWT <u>*</u>	RTK
B24 2FWT <u>*</u>	
B24 2FWT BUTT *	



3 Drawer Base Cabinet

With Factory Installed Drawer Accessory


	APC
DB15 <u>*</u>	FE
DB18 *	PF
DDI0	
DB21 *	RTK
_	
DB24 <u>*</u>	



4 Drawer Base Cabinet

With Factory Installed Drawer Accessory

DD45 4DWD #	APC
DB15 4DWR <u>*</u>	FE
DB18 4DWR <u>*</u>	PE
DB21 4DWR *	RTK
DB24 4DWR *	
5521 15 WIII	




Cutlery Divider • **CD**

Replace * with CD to complete SKU

• Solid hardwood and plywood Cutlery Divider in natural finish


Width	Sections
15"	3
18"	4
21"	5
24"	5



Spice Drawer Insert • **SDI**

Replace * with SDI to complete SKU

- Solid hardwood and plywood Spice Drawer Insert in natural finish
- Accommodates most spice containers (not included)




Wood Tiered Cutlery Divider • WTCD


Replace * with WTCD to complete SKU

- Double-tiered cutlery divider slides independently from drawer
- Solid hardwood and plywood double-tiered cutlery divider in natural finish
- Features solid hardwood dovetail drawer in natural finish

	Upper	Lower
Width	Sections	Sections
15"	5	5
18"	5	6
21"	6	7
24"	7	7




Drawer Base Cabinets



Drawer Base cabinets are 6" to 341/2" high by 12" to 24" deep and range from 12" to 36" wide.

Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.

6" High Furniture Drawer Cabinet 12" Deep



==	APC
FD121206	CF0
FD151206	FE
FD181206	PE
FD211206	
FD241206	
FD271206	
FD301206	
FD331206	
FD361206	

- One standard drawer
- · No toe kick
- · Bottom of cabinet must be fully supported

6" High Furniture Drawer Cabinet 24" Deep




	APC
FD122406	CF0
FD152406	FE
FD182406	PE
FD212406	RD
FD242406	
FD272406	
FD302406	
FD332406	
FD362406	

- One standard drawer
- · No toe kick
- Only available with RD-23 through RD-13
- Bottom of cabinet must be fully supported

12" High Furniture **Drawer Cabinet**

12" Deep




==	APC
FD121212	CF0
FD151212	FE
FD181212	PE
FD211212	
FD241212	
FD271212	
FD301212	
FD331212	
FD361212	

- One large drawer
- No toe kick
- Bottom of cabinet must be fully supported

12" High Furniture **Drawer Cabinet**


24" Deep



	APC
FD122412	CF0
FD152412	FE
FD182412	PE
FD212412	RD
FD242412	
FD272412	
FD302412	
FD332412	
FD362412	

- One large drawer
- No toe kick
- Only available with RD-23 through RD-13
- Bottom of cabinet must be fully supported


Pedestal Drawer Cabinet



		A	PC
	PD1217 1DWR	C	F0
	PD1517 1DWR	F	Έ
	PD1817 1DWR	P	Έ
	PD2117 1DWR		RD.
	PD2417 1DWR	F	TK
	PD2717 1DWR		
	PD3017 1DWR		
	PD3317 1DWR		
	PD3617 1DWR		
	1 50011 151111		
-			

- One large drawer
- Cabinet features a solid top


Drawer Base Cabinet 2 Drawers



	APC
DB30 2DWR	CF0
DB36 2DWR	FE
	PE
	RD
	RTK

- Two large drawers with extra large drawer fronts
- Drawer body measures 6 15/16" deep
- Only available with RD-23 through RD-21
- Features Full-Access CushionClose heavy-duty 132-pound rated glides


Drawer Base Cabinet 2 Drawers, 1 Scalloped Deep Roll Out Tray



	APC
DB30 2DWR SFWT	FE
DB36 2DWR SFWT	PE
	RD
	RTK

- Two large drawers with extra large drawer fronts
- Drawer body measures 6 15/16" deep
- Only available with RD-23 through RD-21
- Features CushionClose Scalloped Deep Roll Out Tray in top opening
- Drawers feature Full-Access CushionClose heavy-duty 132-pound rated glides

Drawer Base Cabinet 2 Drawers, 1 Peg Dish Organizer




DDGG GDUUD DDG	APC
DB30 2DWR PD0	FE
DB36 2DWR PD0	PE
	RTK

- Two large drawers with extra large drawer fronts
- Drawer body measures 6 15/16" deep
- Features Full-Access CushionClose heavy-duty 132-pound rated glides
- One Peg Dish Organizer Kit (organizer and 12 adjustable pegs) in natural finish, packaged separately for field
- Additional pegs (PEG KIT 4 PK) and Peg Dish Organizer Kits (PDO_) can be ordered separately

Drawer Base Cabinet


2 Drawers, 1 Scalloped Deep Roll Out Tray, 1 Peg Dish Organizer



DDGG GDWD GEWT DDG	APC
DB30 2DWR SFWT PD0	FE
DB36 2DWR SFWT PD0	PE
	RTK

- Two large drawers with extra large drawer fronts
- Drawer body measures 6 15/16" deep
- Features Full-Access CushionClose heavy-duty 132-pound rated glides
- Features CushionClose Scalloped Deep Roll Out Tray in
- One Peg Dish Organizer Kit (organizer and 12 adjustable pegs) in natural finish, packaged separately for field
- Additional pegs (PEG KIT 4 PK) and Peg Dish Organizer Kits (PDO_) can be ordered separately

Drawer Base Cabinet 3 Drawers



D.D40	DD04	APC
DB12	DB24	CF0
DB15	DB27	FE
DB18	DB30	PE
DB21	DB33	RD
DDLI	DB36 1TD	RTK
	עוו סכסע	VTD

• One standard and two large drawers

124 BASE CABINETS: Drawer Base & Full-Height Peninsula Base


Drawer Base Cabinet 4 Drawers



DD40 4D11/D	APC
DB12 4DWR	CF0
DB15 4DWR	FE
DB18 4DWR	PE
DB21 4DWR	RD
DB24 4DWR	RTK
DDZ4 4DWN	VTD

• One large and three standard drawers

Full-Height Peninsula Base Cabinets




Full-Height Peninsula Base cabinets are 341/2" high by 24" deep and range from 12" to 36" wide.

Single door Full-Height Peninsula Base cabinets are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.

Full-Height Peninsula Base


2 Doors, 1 Adjustable Shelf



	APC
PB12 FH	FE
PB18 FH	PE
	RD
	RTK

- Full-height doors
- One adjustable shelf

Drawer Base Cabinet 4 Drawers



	APC
DB36	CF0
	FE
	PE
	RD
	RTK
	VTD


• Two standard and two large drawers



When selecting the Recessed Toe Kick Option, the drawer side indicates the front of the cabinet in order to correctly select Recessed Toe Kick Right or Left.

Full-Height Peninsula Base


4 Butt Doors, 1 Adjustable Shelf



	APC
PB24 BUTT FH	FE
PB30 BUTT FH	PE
PB36 BUTT FH	RD
	RTK

- Full-height doors
- One adjustable shelf

Peninsula Base Cabinets




Peninsula Base cabinets are 341/2" high by 24" deep and range from 12" to 42" wide.

Single door Peninsula Base cabinets are hinged left and can be reversed in the field.

Inset Toe Kick construction requires BTK8 matching toe kick - must be ordered separately.


Peninsula Base 2 Doors, 1 Drawer



	APC
PB12	FE
PB18	PE
PB24	RD
. == :	RTK
	VTD

- Full-depth adjustable shelf
- Drawer accessible on one side only
- Panel on opposite side of drawer

Peninsula Base 4 Butt Doors, 1 Drawer




	APC
PB24 BUTT	FE
PB30 BUTT	PE
PB36 1TD BUTT	RD
	RTK
	VTD

- Full-depth adjustable shelf
- Drawer accessible on one side only
- Panel on opposite side of drawer

When selecting the Recessed Toe Kick Option, the drawer side indicates the front of the cabinet in order to correctly select Recessed Toe Kick Right or Left.

Peninsula Base




	APC
PB36	FE
PB42	PE
	RD
	RTK
	VTD

- Full-depth adjustable shelf
- Drawers accessible on one side only
- PB36 features one panel on opposite side of drawers
- PB42 features two panels on opposite side of drawers



Blind Corner Base Cabinets



Blind Corner Base cabinets are 341/2" high by 24" deep. The visible width of these cabinets ranges from 13 %" to 28" wide.

When placing a Blind Corner Base cabinet near an appliance, extra filler space may be required to clear appliance doors and handles.

Refer to appliance manufacturers specifications for adequate clearance requirements.


Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.



When a Blind Corner Base cabinet is used in a design, remember to include the appropriate filler. For a finished, decorative look add an Overlay Filler (Full Overlay Door Styles) to Universal Fillers or Decorative Blocks to a Fluted Beaded Filler.

Blind Corner Base


1 Door, 1 Drawer




	APC
BLB36/39	CF0
BLB39/42	FE
BLB42/45	PE
BLB45/48	RD
BLB48/51	RTK
DLD40/31	

- Full-depth adjustable shelf
- Center support for shelf provided (excluding BLB36/39)
- Blind base door and drawer are installed in the left section
- Refer to the chart on following page for installation specifications
- Includes 1/8" panel to cover blind opening (field trim and install)
- Recessed Toe Kick (RTK) only available as Both (RTKB)
- Door and drawer can be reversed in the field as blind sections are identical
- Must order Universal Filler separately

Blind Corner Base Cabinet Dimensions




	Cabinet Width	Door Opening	
Cabinet	Α	В	C
BLB36/39	27"	8 3/4"	61/4"
BLB39/42	33"	11 3/4"	61/4"
BLB42/45	39"	143/4"	61/4"
BLB45/48	45"	173/4"	61/4"



	Capillet	וטטע		
	Width	Opening		
Cabinet	Α	В	С	D
BLB48/51	48"	17 3/4"	6"	91/4"

Blind Corner Base Installation Chart



Full Overlay (FOL) Door Styles

Full Overlay Door Styles require decorative hardware, which has been calculated into dimensions.

*Dimension requirements do not include optional Overlay Fillers – add ½" if Overlay Fillers will be used, except for BLB48/51 add ½".

^{**}Additional pull may be required for appliances deeper than 24".

	Actual	D			Wall Space A		Exposed	Frame B
Cabinet	Cabinet Width	Door Opening	Door	Minimum Space*	Maximum Pull**	Maximum Space	Minimum Space*	Maximum Space
BLB36/39	27"	8 3/4"	DR1224	38¼"	1¾"	40"	141/4"	16"
BLB39/42	33"	11 3/4"	DR1524	411/4"	1¾"	43"	17 1/4"	19"
BLB42/45	39"	143/4"	DR1824	441/4"	1¾"	46"	20 ¼"	22"
BLB45/48	45"	173/4"	DR2124	471/4"	1¾"	49"	23¼"	25"
BLB48/51	48"	17 3/4"	DR2124	48"	4"	52"	24"	28"


Standard Overlay (SOL) Door Styles

Wall Space A requirements include optional decorative hardware clearance.

*1¼" may be deducted if decorative hardware is not used.

	Actual	_		Wall Space A			Exposed Frame B	
Cabinet	Cabinet Width	Door Opening	Door	Minimum Space*	Maximum Pull*	Maximum Space*	Minimum Space	Maximum Space
BLB36/39	27"	83/4"	DR1224	37%"	2%"	40"	13 %"	16"
BLB39/42	33"	11 3/4"	DR1524	40 %"	25/8"	43"	16 %"	19"
BLB42/45	39"	14 3/4"	DR1824	43%"	25/8"	46"	19 %"	22"
BLB45/48	45"	173/4"	DR2124	46 %"	25/8"	49"	22%"	25"
BLB48/51	48"	173/4"	DR2124	48"	4"	52"	24"	28"

Blind Peninsula Corner Base Cabinets



Blind Peninsula Corner Base cabinets are 34½" high by 24" deep.


Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.



When a Blind Corner Base cabinet is used in a design, remember to include the appropriate filler. For a finished, decorative look add an Overlay Filler (Full Overlay Door Styles) to Universal Fillers or Decorative Blocks to a Fluted Beaded Filler.

When placing a Blind Corner Base cabinet near an appliance, extra filler space may be required to clear appliance doors and handles. Refer to appliance manufacturer's specifications for adequate clearance requirements.

Blind Peninsula Corner Base



Blind Peninsula Corner Base Installation Chart

Full Overlay (FOL) Door Styles

Full Overlay door styles require decorative hardware, which has been calculated into dimensions.

*Must use these dimensions if optional Overlay Fillers will be used.

**Additional pull may be required for appliances deeper than 24".

	Actual			W	/all Space	A	Exposed	Frame B	Filler (a	at wall)
Cabinet	Cabinet Width	Door Opening	Door(s)	Min. Space	Max. Pull**	Max. Space*	Min. Space	Max. Space*	Min.	Max.*
PBC24	24"	20 ¾"	DR2424	26 ¼"	3/4"	27"	21/4"	3"	21/4"	3"
PBC24 BUTT	24"	20 ¾"	DR1224 BUTT (2)	26 ¼"	3/4"	27"	21/4"	3"	21/4"	3"


Standard Overlay (SOL) Door Styles

Wall Space A requirements include optional decorative hardware clearance.

*1¼" may be deducted if decorative hardware is not used.


	Actual			W	/all Space	A	Exposed	Frame B	Filler (a	at wall)
Cabinet	Cabinet Width	Door Opening	Door(s)	Min. Space*	Max. Pull*	Max. Space*	Min. Space	Max. Space	Min.	Max.
PBC24	24"	20 ¾"	DR2424	25 %"	1%"	27"	1%"	3"	1%"	3"
PBC24 BUTT	24"	20 ¾"	DR1224 BUTT (2)	25 %"	1%"	27"	1%"	3"	1¾"	3"

Corner Base Cabinets



Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.


Corner Base Cabinets, excluding CAR36, require a minimum of 34" to fit through doorway (removal of cabinet door recommended).




To ensure proper door function on a Corner Base cabinet, a 3" Filler or Dishwasher Return is recommended for placement between the cabinet and any appliance or other design element deeper than 24".

In addition the Corner Base cabinet should be hinged opposite (e.g., if a range is placed to the right of a Corner Base, the cabinet should be hinged left).

Base Easy Reach






	А	В	С
BER33	33"	201/2"	10 1/16"
BER36	36"	23½"	14 5/8"


BER33L BER33R	BER36L BER36R	APC FE PE

- One adjustable half-depth shelf (non-removable)
- · All door styles must be ordered hinged left or right
- BER33 features two solid recessed panel doors for McKinley door style
- · Sides are finished
- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- · Cabinet features partial top

Asymmetrical Base Easy Reach



NOTE: For front view illustration, refer to Shenandoah 2020 catalog.



DEDOGGO	DEDOGGO	APC
BER3336R	BER3633R	FE
BER3336L	BER3633L	PE

- One adjustable half-depth shelf (non-removable)
- · All door styles must be ordered hinged left or right
- McKinley door style features one solid recessed panel door (33" side) and one solid raised panel door (36" side)
- · Sides are finished
- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- · Cabinet features partial top

Base Super Susan With Wood Spin Units 121/2" В Top View 341/2" .24″



33"

36"

В

20½'

231/2"

C

10 1/16


14 %"

- · Fixed wood spin unit mounted on cabinet floor
- Features one wood spin unit attached to ¾" adjustable
- Natural finish wood spin units feature 1" lip
- Wood spin diameter is 28" for BSS33 and 32"
- All door styles must be ordered hinged left or right
- BSS33 WD features two solid recessed panel doors for McKinley door style
- · Sides are finished


BSS33 WD

BSS36 WD

- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door
- · Cabinet features partial top




NOTE: For front view illustration, refer to Shenandoah 2020 catalog.





- · Fixed wood spin unit mounted on cabinet floor
- Features one wood spin unit attached to 34" adjustable
- Natural finish wood spin units feature 1" lip and are 28"
- · All door styles must be ordered hinged left or right
- McKinley door style features one solid recessed panel door (33" side) and one solid raised panel door (36" side)
- · Sides are finished
- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- · Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- · Cabinet features partial top



BSS33L BSS33R	BSS36L BSS36R	APC FE PE

36"

231/2"

14 %"

- BSS33 features two 28" diameter white spin shelves with pole (top shelf adjustable)
- BSS36 features two 32" diameter white spin shelves with pole (top shelf adjustable)
- All door styles must be ordered hinged left or right
- . BSS33 features two solid recessed panel doors for McKinley door style
- · Sides are finished

BSS36


- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- Cabinet features partial top

Asymmetrical Base Super Susan With Plastic Spin Shelves 33" -201/2" -121/2" 181/8" 231/2"

NOTE: For front view illustration, refer to Shenandoah 2020 catalog.


Top View


1211/16






- Features two 28" diameter white spin shelves with pole (top shelf adjustable)
- All door styles must be ordered hinged left or right
- McKinley door style features one solid recessed panel door (33" side) and one solid raised panel door (36" side)
- · Sides are finished
- Doors open 170 degrees
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- Cabinet features partial top








- Fixed wood spin unit mounted on cabinet floor
- Features one wood spin unit attached to ¾" adjustable shelf
- Natural finish wood spin units feature 1" lip and are 28" in diameter
- Sides are finished
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- Cabinet features solid top









- Features two 28" diameter full round white spin shelves with pole (top shelf adjustable)
- Sides are finished
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- · Cabinet features solid top


Corner Base Carousel (http://www.asecondorselection.com/secondors



- CAR36L CAR36L WD CAR36R CAR36R WD
- CAR36 features two 24" diameter white spin shelves with pole (top shelf adjustable)
- CAR36 WD features two 24" diameter natural finish solid hardwood spin shelves with pole (top shelf adjustable)
- All door styles must be ordered hinged left or right
- · Sides are unfinished
- Doors open 170 degrees
- If unit has an exposed side, order end panel separately
- Additional support for countertop in back is necessary
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation
- Unit must be pulled to install in a 36" x 36" space
- Cabinet features partial top

Corner Sink Base










- No shelf
- Sides are finished
- Cabinet requires a minimum of 34" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on either side of this cabinet for proper appliance door operation
- Cabinet features solid top which must be field cut for sink installation as per manufacturer's specifications
- Maximum sink-cut out width is 22¾" if cut-out is 4" back from face of front frame
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials

Corner Sink Front








	A	В
CSF36	35 3/32"	16 15/16"
CSF42	421/32"	25 15/16"

CSF36 CSF42


- Corner Sink Front not trimmable
- Vertical edges of frame are mitered to attach to adjacent cabinet frames
- Toe kick shipped loose
- Order floors and returns separately (trimming may be required) refer to Panel section for availability

Specialty Base Cabinets



Inset toe kick construction requires BTK8 matching toe kick - must be ordered separately.


Base Spice Drawer Cabinet



BSDC6

- Drawer fronts are finished to match cabinet box exterior
- Features veneered engineered wood
- · Five individual full-depth drawers
- Flush side
- All wood drawer body with dovetail construction
- Breeze, Pewter Glaze and Linen (Duraform and Painted) finishes feature white porcelain knobs, all other finishes feature matching wood knobs
- Features 1/2" thick slab drawer fronts for all door styles


Base Wine Rack Cabinet



BWRC6

- Features veneered engineered wood finished to match cabinet box exterior
- Interior finished to match cabinet box exterior
- · Accommodates five wine bottles
- Each opening measures 5" high by 4 1/2" wide
- ¾" thick sides and shelves
- Flush sides
- Cannot be retrofitted with Base Spice Drawer Cabinet drawers


Base Bookshelf



BSPLY2434 FE ID RD RTK

- All Plywood Construction standard
- Interior finished to match cabinet box exterior
- Features two adjustable 3/4" plywood shelves
- Shelving packaged separately for field installation


Shelf End Base



SEB

- Features veneered engineered wood finished to match cabinet box exterior
- Interior finished to match cabinet box exterior
- 3/," chalva
- Distance between shelves is 9 3/16"
- %" screw recommended from inside of adjacent cabinet for installation
- Toe kick is removable invert unit for right or left
- Cabinet dimensions are for reference purposes ONLY
 countertop must be measured and fabricated after
 cabinet installation

Shelf End Peninsula Base




- Features veneered engineered wood finished to match cabinet box exterior
- Interior finished to match cabinet box exterior
- ¾" shelves

SEPB

- Distance between shelves is 9 3/16"
- %" screw recommended from inside of adjacent cabinet for installation
- Cabinet dimensions are for reference purposes ONLY
 countertop must be measured and fabricated after cabinet installation


Base Microwave Cabinet



	APC
BMC24	FE
BMC27	PE
BMC30	RD
5000	RTK

- Microwave opening finished to match cabinet box exterior
- Designed to accommodate countertop style microwave
- Features two standard depth drawers
- Accent Molding recommended order separately
- Refer to appliance manufacturer's specifications for adequate clearances

Base Oven Cabinet Universal




	APC
BOCU27	FE
BOCU30	PE
BOCU33	RD
20000	RTK

		А	А	В	В
	Cut Out	Min.	Max.	Min.	Max.*
	BOCU27	20 ¾"	2415/16"	18 1/4"	29"
	BOCU30	233/4"	2715/16"	18 1/4"	29"
	BOCU33	26 3/4"	30 15/16"	18 1/4"	29"
*Trimming/removal of top rail required					

- Designed for mounting single oven below countertop
- 3" top rail is field removable and field trimmable
- 31/8" stiles
- Will accommodate certain cooktops (in conjunction with undercounter oven) or drop-in ranges
- Most ovens require a top rail of varying heights to create a finished look and to allow for the oven door to clear the countertop when opened
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials


Base End Angle 1 Full-Height Door






- · One adjustable shelf
- Must order left or right
- Recessed Toe Kick (RTK) only available on 12" side
- Only available with RD-23 through RD-18
- Cabinet dimensions are for reference purposes ONLY - countertop must be measured and fabricated after cabinet installation

Base End Angle 2 Full-Height Doors



- Requires 24" x 24" space
- · One adjustable shelf
- Cabinet dimensions are for reference purposes ONLY countertop must be measured and fabricated after cabinet installation

Base Cabinet Accessories



Base Filler Pull Out

SIZE

NEWI


	Shelf Width
P3	21/8"
P6	4 3/4"

BFP3 BFP6

BF BF

- Must be installed between two base cabinets behind the face frames in 3" (BFP3) or 6" (BFP6) of floor space
- Cannot be installed next to an appliance or at the end of a run
- · No side panels or toe kick
- Filler shipped unattached for field installation
- An overlay filler is recommended for Full Overlay door styles order separately
- One fixed and three adjustable shelves in natural finish with chrome rails
- Decorative hardware strongly recommended


Base Recycling Kit



BR2B15

- · Field installation accessory
- Features two white 27-quart plastic bins, chrome wire rack and Full-Access glides
- Mounts in B18 (143/4") or wider cabinet opening
- Unit measures 11 1/8" W x 19 1/8" H x 22 3/4" D
- Not sized to fit cabinets with Reduced Depth


Wastebasket Unit



WBU15

- Field installation accessory
- Features one white 35-quart plastic bin, chrome wire rack with storage bin and Full-Access glides
- Mounts in B15 (11¾") or wider cabinet opening
- Unit measures 10 %" W x 19 ¼" H x 22" D
- Not sized to fit cabinets with Reduced Depth

Cabinet Tray Divider




TD3

- · Field installation accessory
- Chrome finish
- For use in 24" deep cabinets or cabinets with RD-23 through RD-14
- · Mounting hardware included

Sink Base Multi-Storage Kit NEW! UPDATE

Sink Base Multi-Storage Shelf



SBMS30 KIT SBMS36 KIT


- UPDATE: SBMS36 KIT now features one Stainless Tilt-Out Tray Kit (STO TRAY 22)
- Field installation accessory
- Not sized to fit cabinets with Reduced Depth
- Tilt-Out Trays and Door Storage Unit Trays are NOT dishwasher safe

- SBMS30 KIT for 30" sink base only and features:
- 15" Sink Base Door Storage Unit (SBDSU15)
- 15" Plastic Bag Door Storage Unit (PBDSU15)
- Sink Base Multi-Storage Shelf (SBMSS)
- One Stainless Tilt-Out Tray Kit (STO TRAY 22)
- SBMS36 KIT for 36" sink base only and features:
- 18" Sink Base Door Storage Unit (SBDSU18)
- 18" Plastic Bag Door Storage Unit (PBDSU18)
- Sink Base Multi-Storage Shelf (SBMSS)
- One Stainless Tilt-Out Tray Kit (STO TRAY 22)

SBMSS

- · Field installation accessory
- 3/4" plywood with natural finish
- Invert for left or right installation


Tilt-Out Tray Kit



Plastic: TO TRAY 11 TO TRAY 14 TO TRAY 22 Stainless: STO TRAY 11 STO TRAY 14 STO TRAY 22

- · Field installation accessory
- Kit features tray and one pair of scissor hinges
- Order trays individually
- TO TRAY 11 or STO TRAY 11:
- Order one tray for SB18
- TO TRAY 14 or STO TRAY 14:
 - Order one tray for SB21, SB24, SB27 BUTT or CSF42
 - Order two trays for SB39, SB42 or SB48
- TO TRAY 22 or STO TRAY 22:
- Order one tray for SB30 BUTT, SB33 BUTT or SB36
 BUTT
- Cabinet Sink Fronts use same quantity of trays as Sink Base cabinets
- Tilt-Out Trays are NOT dishwasher safe

Sink Base Door Storage Unit



 A
 B


 SBDSU15
 9"
 10½"

 SBDSU18
 10½"
 13½"

SBDSU15 SBDSU18

- · Field installation accessory
- · Natural finish solid wood
- Two fixed shelves
- Cannot be used with Deep Roll Out Trays
- Full-depth shelf must be field trimmed to half-depth
- · Removable white plastic tray is NOT dishwasher safe
- $\bullet\,$ SBDSU15 mounts to 15" or 16" wide base doors
- SBDSU18 mounts to 18" or 19" wide base doors

Plastic Bag Door Storage Unit



10 ½"

131/2"


PBDSU15 PBDSU18

· Field installation accessory

PBDSU18

- · Natural finish solid wood and wood veneer
- Cannot be used with Deep Roll Out Trays
- Full-depth shelf must be field trimmed to half-depth
- Removable white plastic tray is NOT dishwasher safe
- PBDSU15 mounts to 15" or 16" wide base doors
- PBDSU18 mounts to 18" or 19" wide base doors


Cutting Board Door Rack Kit



CBDRK18

- Field installation accessory
- Natural finish solid wood with chrome rails
- Cannot be used with Deep Roll Out Trays
- Full-depth shelf must be field trimmed to half-depth
- Solid wood cutting board is NOT dishwasher safe
- Cutting board measures 15 15/6" x 10 %6" x 13/6"
- CBDRK18 mounts to 18" or 19" wide base doors

Roll Out Tray Divider Kit






- Field installation accessory
- Natural finish solid wood and wood veneer construction
- ROTDK12 features two compartments (one partition)
- ROTDK15 features three compartments (two partitions)
- Partition(s) are field installed
- Not sized to fit cabinets with Reduced Depth
- · Features natural finish solid wood and wood veneer with engineered wood bottom
- Front of organizer features dovetail construction

Deep Roll Out Tray Kit

NEW! SIZES



	А	Base Cabinet Size	Oven Cabinet Size
DROT12	73/4"	12"	-
DROT15	10 ¾"	15"	=
DROT18	13 ¾"	18"	=
DROT19	15 1/4"	19"	-
DROT21	16 ¾"	21"	=
DROT24	19 ¾"	24"	27"
DROT27	22 3/4"	27"	30"
DROT30	25 3/4"	30"	33"
DROT33	28 3/4"	33"	=
DROT36	31 3/4"	36"	-


RD

Deep Roll Out Tray Kit DROT24 DROT12 DROT15 DROT27 DROT18 DROT30 DROT33 DROT19 DROT21 DROT36 4 Pack Deep Roll Out Tray Kit DROT12-4K DROT27-4K DROT30-4K DROT15-4K DROT18-4K DROT33-4K DROT21-4K DROT36-4K DROT24-4K


- Field installation accessory
- Natural finish dovetail drawer with engineered wood bottom
- Includes tray, all glide hardware and installation instructions
- Reduced Depth DROT will not fit in standard 21" deep Vanity or Desk Cabinets
- DROT drill template is required for all two door cabinets that have a fixed center stile - contact Customer Care for drill template


Base Pot & Pan Organizer Kit

		Base	Oven
	Α	Cabinet Size	Cabinet Size
BPP0K24	19 ¾"	24"	27"
BPP0K27	223/4"	27"	30"
BPPOK30	25 3/4"	30"	33"
BPPOK33	283/4"	33"	_
BPPOK36	31¾"	36"	_




- · Field installation accessory
- · Features natural finish solid wood and wood veneer with engineered wood bottom
- Front of organizer features dovetail construction
- Top shelf measures 6 3/16" deep
- Middle shelf measures 9 3/4" deep
- Not sized to fit cabinets with Reduced Depth






Wood Tiered Cutlery Divider Kit




	Upper	Lower
	Sections	Sections
WTCDKFD15	5	5
WTCDKFD18	5	6
WTCDKFD21	6	7
WTCDKFD24	7	7



- Available as Factory Installed for all door styles
- Field installed accessory replaces existing drawer box
- Glides are not included: reuse existing drawer glides
- Solid hardwood and plywood in natural finish
- Double tiered cutlery divider slides independently
- from drawer • Can be installed in cabinets with single drawer or
- side-by-side drawer configurations
- Not sized to fit cabinets with Reduced Depth
- Not field trimmable

Cutlery Divider Kit




	Number of Sections	Α
CDAK15	3	9 ¾"
CDAK18	4	12 3/4"
CDAK21	5	15 ¾"
CDAK24	5	18 ¾"

CDAK15 CDAK18 CDAK21 CDAK24			

- Available as Factory Installed for all door styles
- Field installation accessory
- Solid hardwood and plywood in natural finish
- Not sized to fit cabinets with Reduced Depth
- Not field trimmable

Spice Drawer Insert Kit




	A	
SDIAK15	9 ¾"	
SDIAK18	12 ¾"	
SDIAK21	15 ¾"	
SDIAK24	18 ¾"	

SDIAK15		
SDIAK18		
SDIAK21		
SDIAK24		

- Available as Factory Installed for all door styles
- Field installation accessory
- Solid hardwood and plywood in natural finish
- Accommodates most spice containers (not included)
- Not sized to fit cabinets with Reduced Depth
- Not field trimmable


Sliding Towel Bar



STB

- Field installation accessory
- Two chrome finish towel bars
- Mounts to cabinet side panel
- Pulls out 7" for easy access
- For use in 24" deep cabinets or cabinets with RD-23 through RD-14


Corner Lazy Susan



CLS45F

- Field installation accessory
- One 2½" high chrome wire shelf per unit
- For use with BLB45/48 or BLB48/51
- . More than one unit can be installed
- · Order units individually
- 34" long x 16" deep from center
- Attaches to back of face frame
- Not sized to fit cabinets with Reduced Depth

Heat Shield Kit



HSK

- Field installation accessory
- For use as heat shield on Edgeworth Duraform
- Protects doors and drawer fronts from adjacent heat source (built-in ovens, under counter ovens, drop-in or free-standing ranges)
- Kit features:
- Two 1/16" metal heat shields finished to match cabinet box exterior
- One strip of QM8 molding shield finished to match cabinet box exterior